

**7,464**

Total Number Of Cases Treated For Problem Alcohol Use



35% FEMALES

ALCOHOL DEPENDENT



65% MALES

41 YEARS MEDIAN TREATMENT AGE

15 YEARS MEDIAN AGE FIRST STARTED DRINKING

ALL PERCENTAGES CITED ARE A PROPORTION OF THE TOTAL NUMBER OF CASES

POLYDRUG USE



MIXING OTHER DRUGS WITH ALCOHOL

MOST COMMON ADDITIONAL DRUGS



LEVEL OF PROBLEM OF ALCOHOL USE


ALL CASES	2012	2013	2014	2015	2016	2017	2018
HAZARDOUS	11%	11%	11%	9%	10%	10%	10%
HARMFUL	18%	19%	18%	18%	17%	16%	17%
DEPENDENT	56%	57%	60%	62%	65%	72%	71%



POLYDRUG USE

	2012	2013	2014	2015	2016	2017	2018
CANNABIS	66%	65%	63%	60%	58%	61%	59%
COCAINE	28%	29%	28%	33%	35%	42%	48%
BENZODIAZEPINES	26%	27%	28%	25%	29%	23%	23%
OPIOIDS	16%	15%	15%	14%	15%	14%	13%

CASES BY GENDER



ADDITIONAL PROBLEM DRUG – ALL CASES

